## MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

Version Number 1.3 Revision Date 10/30/2006

Page 1 of 6 Print Date 11/25/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON 90055 RED 7041
Product code	:	9005500B7041
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	0.1 - 1

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

Version Number 1.3 Revision Date 10/30/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume

PolyOne.

# MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

	C			
	С			
	c	ondensates may contain c lean hoods, ducts, and oth nese materials.		
Storage		Leep containers dry and tind contamination. Keep		oisture absorption
<b>8.</b> E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	
Respiratory protection		lo personal respiratory pr usty conditions occur we		
Eye/Face Protection	: S	afety glasses with side-sh	ields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	V n 7 w w n v 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	landle in accordance with Vash hands before breaks hay contain residual vinyl 5-01-4) below 8.5 ppm (( vorking conditions with a vill be exceeded for residu ecessary precautions (e.g entilation, air-monitoring irborne levels of any vapo eleased during heating or	and at the end of work chloride monomer (VC 0.00085%). It is unlikel dequate ventilation, tha nal VCM. However, the mechanical ventilation , respiratory protection prs including VCM or c	day. This product CM) (CAS number y, under normal t the exposure limi user should take th n, local exhaust , etc.) to ensure lusts that may be
Engineering measures		leat only in areas with appropriate exhaust ventile		ation. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	be List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA ZI
	20 mg/m3	Short Term Exposure L (STEL):	imit as Ti	MX OEL
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
Form Appearance Color	: Solic : Pelle : RED	ets, powder S	vaporation rate pecific Gravity: ulk density	Not applicable Not determined Not established

## MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

Version Number 1.3 Revision Date 10/30/2006

\_

Page 4 of 6 Print Date 11/25/2011

PolvOne

Odor Melting point/range Boiling Point: Water solubility	<ul><li>: Very faint</li><li>: Not determined</li><li>: Not applicable</li><li>: Insoluble</li></ul>	Vapor pressure Vapour density pH	<ul><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li></ul>
	10. STABILITY AND	O REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do a	idizing agents and open to not overheat.	flame. To avoid thermal
Incompatible Materials		strong acids and oxidizing lymers and acetal copoly	
Hazardous decomposition products	(NOx), other hazard Prolonged heating ( (200 °C) or short ter	D2), carbon monoxide (C dous materials, and smok (approximately 30 minute rm heating at 482 °F (250 evolution of carbon mon	e are all possible. s or more) above 392 °F °C) may result in product

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

PolyOne.

# MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

Version Number 1.3 Revision Date 10/30/2006 Page 5 of 6 Print Date 11/25/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

## MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7041**

Version Number 1.3 Revision Date 10/30/2006 Page 6 of 6 Print Date 11/25/2011

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name			CAS-No.	Weight %	NPRI ID#
2-Ethylhexanoic acid zinc salt			136-53-8	0.10 - 1.00	231
Barium bis(nonylphenolate)			28987-17-9	0.10 - 1.00	178
WHMIS Classification	:	-	of this product ar (DSL) or are exen		n Domestic
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.