MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

Version Number 1.2 Revision Date 10/30/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON 90055 RED 7885
Product code	:	9005500B7885
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Rutile (TiO2)	1317-80-2	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

Version Number 1.2 Revision Date 10/30/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Suitable extiliguisining media	: Carbon dioxide blanket, water spray, dry powder, toannione.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positiv
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und
Hazards	fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as
1	impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
** 11	—
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fund

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

sion Number 1.2 ision Date 10/30/2006		Page 3 Print Date 11/25/2
	clean h	sates may contain combustible or toxic residue. Periodically bods, ducts, and other surfaces to minimize accumulation of materials.
Storage		ontainers dry and tightly closed to avoid moisture absorption atamination. Keep in a dry, cool place.
8. EXP	OSURE CON	TROLS / PERSONAL PROTECTION
Respiratory protection		sonal respiratory protective equipment normally required. If onditions occur wear appropriate respiratory protection.
Eye/Face Protection	: Safety	glasses with side-shields.
Hand protection	: Protecti	ive gloves.
Skin and body protection	: Long sl	eeved clothing.
Additional Protective Measures	: Safety s	shoes.
General Hygiene Considerations	Wash h may co 75-01-4 working will be necessa ventilat airborn	in accordance with good industrial hygiene and safety practice ands before breaks and at the end of workday. This product ntain residual vinyl chloride monomer (VCM) (CAS number b) below 8.5 ppm (0.00085%). It is unlikely, under normal g conditions with adequate ventilation, that the exposure limits exceeded for residual VCM. However, the user should take the ry precautions (e.g. mechanical ventilation, local exhaust ion, air-monitoring, respiratory protection, etc.) to ensure e levels of any vapors including VCM or dusts that may be d during heating or processing are below regulated levels.
Engineering measures		aly in areas with appropriate exhaust ventilation. Provide riate exhaust ventilation at machinery.
Exposure limit(s)		
9	PHYSICAL A	AND CHEMICAL PROPERTIES
Form Appearance	: Solid : Pellets, po	Evaporation rate: Not applicablewderSpecific Gravity:: Not determined
Color	: RED	Bulk density : Not established
Odor	: Very faint	Vapor pressure : Not applicable
Melting point/range	: Not determ	nined Vapour density : Not applicable
Boiling Point: Water solubility	: Not application: Insoluble	able pH : Not applicable
	10. STAB	ILITY AND REACTIVITY

3/6

MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

Version Number 1.2 Revision Date 10/30/2006 Page 4 of 6 Print Date 11/25/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

		CAS-No.	Chemical Name	Effect	Target Organ
--	--	---------	---------------	--------	--------------

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

 Persistence and degradability
 : Not readily biodegradable.

 Environmental Toxicity
 : Adverse ecological impact is not known or expected under normal use.

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

Version Number 1.2 Revision Date 10/30/2006 Page 5 of 6 Print Date 11/25/2011

Bioaccumulation Potential	: No data available
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Propositior 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
	•

MATERIAL SAFETY DATA SHEET **GEON 90055 RED 7885**

Version Number 1.2 Revision Date 10/30/2006 Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name		•	CAS-No.	Weight %	NPRI ID#
2-Ethylhexanoic acid zinc salt	t		136-53-8	0.10 - 1.00	231
Barium bis(nonylphenolate)			28987-17-9	0.10 - 1.00	178
WHMIS Classification	:		s of this product a (DSL) or are exe	re on the Canadia mpt.	n Domestic
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
		16. OTHER I	NFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.