

## MATERIAL SAFETY DATA SHEET

# MAROON

Version Number 1.0 Revision Date 09/07/2001 Page 1 of 5 Print Date 10/31/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MAROON
Product code	:	CC10000434
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# MAROON

ision Date 09/07/2001	Print Date 10/31/2	
	4. FIRST AID MEASURES	
	T, FIRST AID WILASURES	
Inhalation       : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	ndling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	





# MAROON

			Print D	Page 2 0ate 10/31/
	aı	nd contamination. Keep in a	dry, cool place.	
<b>8.</b> E	XPOSURE	CONTROLS / PERSONAL	L PROTECTION	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEI
	10 mg/m3			MX OEI
Form	10 mg/m3 9. PHYSIC	(TWA):	OPERTIES	
Form	10 mg/m3 9. PHYSIC : Solid	(TWA): CAL AND CHEMICAL PR Evap	OPERTIES	applicable.
Appearance	10 mg/m3 9. PHYSIC : Solid : Pelle	(TWA): CAL AND CHEMICAL PR Evap ts Spec	OPERTIES oration rate : Not ific Gravity : Not	applicable.
Appearance Color	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk	OPERTIES oration rate : Not ific Gravity : Not density : Not	applicable. determined.
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk faint Vapo	OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not	applicable. determined established applicable
Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	(TWA): CAL AND CHEMICAL PR Evap ts Spec PLE Bulk faint Vapo letermined. Vapo	OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         or density       : Not	applicable. determined established applicable applicable
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk faint Vapo determined. Vapo applicable pH	OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         or density       : Not	applicable. determined established applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not c : Insol	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk faint Vapo determined. Vapo applicable pH	OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	applicable. determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk faint Vapo determined. Vapo applicable pH uble	OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	applicable. determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a : Insol 10. S : St	(TWA): CAL AND CHEMICAL PR L Evap ts Spec PLE Bulk faint Vapo letermined. Vapo applicable pH uble TABILITY AND REACTION	OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	applicable. determined established applicable applicable



# MATERIAL SAFETY DATA SHEET

<i>MAROON</i>			
ersion Number 1.0 evision Date 09/07/2001			Page 4 o Print Date 10/31/20
Incompatible Materials	: Incompatible w	with strong acids and	oxidizing agents.
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLOGI	CAL INFORMATI	ON
This mixture has not been health data for the individu			ure effects listed are based on exist
<u>Toxicity Overview</u> This product contains the f	ollowing components wh	ich in their pure forn	have the following characteristics
CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7 Ti	tanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGICA	AL INFORMATIO	N
Persistence and degradabil	ity : Not readily bio	degradable.	
Environmental Toxicity	: Chemicals are of the polymer		as they are bound within the matrix
Bioaccumulation Potential	: Chemicals are of the polymer		as they are bound within the matrix
Additional advice	: No data availal	ole.	
	13. DISPOSAL (	CONSIDERATION	8
Product	recycling is pre waste material transportation a	eferred to disposal or has the responsibility	ct can be recycled. Where possible incineration. The generator of for proper waste classification, dance with applicable federal, s.
Contaminated packaging	has the response	bibility for proper was accordance with app	e. The generator of waste material ste classification, transportation blicable federal, state/provincial
	14. TRANSPOR	T INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated f	or transportation.	
ICAO/IATA	: Not regulated f	or transportation.	
IMO / IMDG	: Not regulated f	for transportation.	



## MATERIAL SAFETY DATA SHEET

# MAROON

Version Number 1.0 Revision Date 09/07/2001 Page 5 of 5 Print Date 10/31/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 1333-86-4	
DSL	: Listed.
National Inventories:	
Australia AICS	: Not Listed.
China IECS	: Not Listed.
Europe EINECS	: Not Listed.
Japan ENCS	: Not Listed.
Korea KECI	: Not Listed.
Philippines PICCS	: Not Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.