

MATERIAL SAFETY DATA SHEET

RASPBERRY

Version Number 1.0 Revision Date 09/11/2001 Page 1 of 5 Print Date 10/31/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RASPBERRY
Product code	:	CC10000547
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RASPBERRY

ion Number 1.0 sion Date 09/11/2001	Page 2 Print Date 10/31/2
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tiocedures	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RASPBERRY

sion Date 09/11/2001			Print D	Page 2 /Date 10/31	
and contamination. Keep in a dry, cool place.					
8. E	XPOSURE	CONTROLS / PERSONAL	L PROTECTION		
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		safety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
			1 11		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	10 mg/m3 15 mg/m3 10 mg/m3		Total dust. as Ti	ACGIH OSHA Z	
	15 mg/m3 10 mg/m3	(TWA): PEL: Time Weighted Average	Total dust. as Ti	ACGIH OSHA Z	
Titanium dioxide	15 mg/m3 10 mg/m3 9. PHYSIC	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR	Total dust. as Ti OPERTIES	ACGIH OSHA Z MX OEL	
Titanium dioxide	15 mg/m3 10 mg/m3 9. PHYSIC : Solid	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR Evap	Total dust. as Ti OPERTIES oration rate : Not	ACGIH OSHA Z MX OEI t applicable.	
Titanium dioxide Form Appearance	15 mg/m3 10 mg/m3 9. PHYSIC	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR L Evap ts Spec	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not	ACGIH OSHA Z MX OEL t applicable. t determined.	
Titanium dioxide	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR L Evap ts Spec Bulk	Total dust. as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not	ACGIH OSHA Z MX OEL t applicable. t determined. t established	
Titanium dioxide Form Appearance Color Odor	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR L Evap ts Spec Bulk faint Vapo	Total dust. as Ti OPERTIES oration rate : Noi ific Gravity : Noi density : Noi or pressure : Noi	ACGIH OSHA Z MX OEL t applicable. t determined. t established t applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evap ts Spec Bulk faint Vapo determined. Vapo	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not	ACGIH OSHA Z MX OEI t applicable. t determined. t established t applicable t applicable	
Titanium dioxide Form Appearance Color Odor	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evap ts Spec Bulk faint Vapo determined. Vapo applicable pH	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not	ACGIH OSHA Z MX OEL t applicable. t determined. t established t applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evap ts Spec Bulk faint Vapo determined. Vapo applicable pH	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	ACGIH OSHA Z MX OEI t applicable. t determined. t established t applicable t applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol 10. S	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evap ts Spec Bulk faint Vapo determined. Vapo applicable pH	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	ACGIH OSHA Z MX OEI t applicable. t determined. t established t applicable t applicable	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol 10. S : S	(TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evap ts Spec b Bulk faint Vapo determined. Vapo uble STABILITY AND REACTION	Total dust. as Ti COPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	ACGIH OSHA Z MX OEI t applicable. t determined. t established t applicable t applicable	



MATERIAL SAFETY DATA SHEET

ersion Number 1.0 evision Date 09/11/2001				Page 4 of Print Date 10/31/20
Incompatible Materials	: Incompa	tible with	strong acids and	oxidizing agents.
Hazardous decomposition products				oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICO	LOGICA	L INFORMATI	ON
This mixture has not been evaluated health data for the individual content of the individual con				ure effects listed are based on existi
<u>Toxicity Overview</u> This product contains the follo	wing compone	nts which	in their pure form	have the following characteristics:
CAS-No.	Chemical Nam	e	Effect	Target Organ
13463-67-7 Titania	um dioxide		Systemic effects	Respiratory system.
	12. ECOLO	OGICAL	INFORMATION	N
Persistence and degradability	: Not read	lily biode	gradable.	
Environmental Toxicity	: Chemica of the po		readily available a	as they are bound within the matrix
Bioaccumulation Potential	: Chemica of the po		readily available a	as they are bound within the matrix
Additional advice	: No data	available.		
	13. DISPO	SAL CO	NSIDERATIONS	5
Product	recyclin waste m transpor	g is prefer aterial has tation and	red to disposal or s the responsibility	ct can be recycled. Where possible incineration. The generator of v for proper waste classification, dance with applicable federal, s.
Contaminated packaging	has the r and disp	responsibi	lity for proper was cordance with app	e. The generator of waste material ste classification, transportation licable federal, state/provincial
	14. TRAN	SPORT I	INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regu	alated for	transportation.	
ICAO/IATA	: Not regu	lated for	transportation.	
IMO / IMDG	: Not regu			



MATERIAL SAFETY DATA SHEET

RASPBERRY

Version Number 1.0 Revision Date 09/11/2001 Page 5 of 5 Print Date 10/31/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.