ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 1 of 15 Print Date 07/23/2019

SAFETY DATA SHEET

ULTIMATE UV 390 W/ TONER

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: :	ULTIMATE UV 390 W/ TONER Mixture Mixture CC10309625 liquid
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.		
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1

GHS label elements



ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 2 of 15 Print Date 07/23/2019

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash
		contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10309625

CAS number/other identifiers

Ingredient name	%	CAS number
Bis-4H-3,1-benzoxazin-4-one, 2,2'-(1,4-phenylene)-	10 - 25	18600-59-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019

Page 3 of 15 Print Date 07/23/2019

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact	:	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause an allergic skin reaction.

P<u>olyOne</u>

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 4 of 15 Print Date 07/23/2019

Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-

<u>vOne</u>

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 5 of 15 Print Date 07/23/2019

fire-fighters

contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

suitable training. Evacuate surrounding areas. Keep unnecess unprotected personnel from entering. Do not touch or walk th spilled material. Avoid breathing vapor or mist. Provide adeq ventilation. Wear appropriate respirator when ventilation is	ary and rough juate
	ke note
Avoid dispersal of spilled material and runoff and contact wit waterways, drains and sewers. Inform the relevant authorities product has caused environmental pollution (sewers, waterwa or air).	if the
t and cleaning up	
Stop leak if without risk. Move containers from spill area. Dil water and mop up if water-soluble. Alternatively, or if water- insoluble, absorb with an inert dry material and place in an ap waste disposal container. Dispose of via a licensed waste disp contractor.	opropriate
Stop leak if without risk. Move containers from spill area. Ap release from upwind. Prevent entry into sewers, water courses basements or confined areas. Wash spillages into an effluent of plant or proceed as follows. Contain and collect spillage with combustible, absorbent material e.g. sand, earth, vermiculite of diatomaceous earth and place in container for disposal accord local regulations (see Section 13). Dispose of via a licensed w disposal contractor. Contaminated absorbent material may po same hazard as the spilled product. Note: see Section 1 for en contact information and Section 13 for waste disposal.	s, treatment non- or ling to vaste sse the
: ent	 suitable training. Evacuate surrounding areas. Keep unnecess unprotected personnel from entering. Do not touch or walk th spilled material. Avoid breathing vapor or mist. Provide adeq ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment If specialized clothing is required to deal with the spillage, tal of any information in Section 8 on suitable and unsuitable ma See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact wit waterways, drains and sewers. Inform the relevant authorities product has caused environmental pollution (sewers, waterwa or air). stop leak if without risk. Move containers from spill area. Di water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an apwaste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Aprelease from upwind. Prevent entry into sewers, water course basements or confined areas. Wash spillages into an effluent plant or proceed as follows. Contain and collect spillage with combustible, absorbent material e.g. sand, earth, vermiculite diatomaceous earth and place in container for disposal accord local regulations (see Section 13). Dispose of via a licensed v disposal contractor. Contaminated absorbent material may po same hazard as the spilled product. Note: see Section 1 for enterimental proceed as follows.

Section 7. Handling and storage

Precautions for safe handling



ULTIMATE UV 390 W/ TONER

Version Number 1.0	Page 6 of 15
Revision Date 07/22/2019	Print Date 07/23/2019

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Bis-4H-3,1-benzoxazin-4-one, 2,2'-(1,4-phenylene)-	None.
Appropriate engineering controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures



ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019	Page 7 of 15 Print Date 07/23/2019
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

: liquid [liquid]
: NOT APPLICABLE
: Faint odor.
: Not available.
: Not available.

Ine

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 8 of 15 Print Date 07/23/2019

:	Not available.
:	Not available.
:	Lower: Not available.
	Upper: Not available.
:	Not available.
:	Not available.
:	Not available.
:	Not available.
:	insoluble in water.
:	Not available.
:	Not available.
	Not available.
	Not available.
	Dynamic: Not available.
	Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects



ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 9 of 15 Print Date 07/23/2019

Acute toxicity

Remarks - Oral:	No applica	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxicity data				
Remarks - Dermal:	No applicat	No applicable toxicity data			
Conclusion/Summary	:	Mixture.Not fully te	sted.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	:	Mixture.Not fully te	sted.		
Eyes	:	Mixture.Not fully te	sted.		
Respiratory	:	Mixture.Not fully te	sted.		
Sensitization Product/ingredient name	Route of e	xDOSUFE	Species	Result	
Product/ingredient name	Route of e	xposure	Species	Result Sensitizing	
Product/ingredient name Bis-4H-3,1-benzoxazin-4-	Route of e Skin	xposure		Result Sensitizing	
Product/ingredient name Bis-4H-3,1-benzoxazin-4- one, 2,2'-(1,4-phenylene)-		xposure			
Product/ingredient name Bis-4H-3,1-benzoxazin-4-		xposure Mixture.Not fully te	-		
Product/ingredient name Bis-4H-3,1-benzoxazin-4- one, 2,2'-(1,4-phenylene)- Conclusion/Summary	Skin		sted.		
Product/ingredient name Bis-4H-3,1-benzoxazin-4- one, 2,2'-(1,4-phenylene)- Conclusion/Summary Skin	Skin	Mixture.Not fully te	sted.		

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

<u>PolyOne</u>

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 10 of 15 Print Date 07/23/2019

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following:
		irritation
		redness
Ingestion	:	No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects		Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

<u>vOne</u>

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 11 of 15 Print Date 07/23/2019

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	79,015.8 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Bis-4H-3,1-benzoxazin-4-one,	2,2'-(1,4-phenylene)-		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
ULTIMATE UV 390 W/ TON	ER		
Remarks - Acute - Aquatic	Dangerous for the environment	: May cause long term adverse	effects in the aquatic
invertebrates.:	environment.		
Conclusion/Summary	e	environment: May cause long	term adverse effects
	in the aquatic envi	ronment.	

Persistence and degradability

Conclusion/Summary

: Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Bis-4H-3,1-benzoxazin-4-one, 2,2'-	4.7	-	high
(1,4-phenylene)-			

Mobility in soil

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 12 of 15 Print Date 07/23/2019

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyoxyalkylene UV absorber), 9, PGIII, Marine Pollutant
International Water IMO/IMDG	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyoxyalkylene UV absorber), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

:

- U.S. Federal regulations
- **United States TSCA 12(b) Chemical export notification:** None of the components are listed.

ULTIMATE UV 390 W/ TONER

Version Numbe	er 1.0
Revision Date	07/22/2019

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		NT - 11 - 1
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

<u>One</u>

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 14 of 15 Print Date 07/23/2019

Classification

: SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification
Bis-4H-3,1-benzoxazin-4-	>= 10 - <= 25	SKIN SENSITIZATION - Category 1
one, 2,2'-(1,4-phenylene)-		

SARA 313

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	None of the components are listed.
Pennsylvania	:	None of the components are listed.
<u>California Prop. 65</u>		-
This product does not require a Safe Harbor warning under California Prop. 65.		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
•		
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components
		are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

ULTIMATE UV 390 W/ TONER

Version Number 1.0 Revision Date 07/22/2019 Page 15 of 15 Print Date 07/23/2019

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	07/23/2019
Date of issue/Date of revision	:	07/22/2019
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.