

## Geon<sup>™</sup> SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 1 of 15 Print Date 06/01/2018

# SAFETY DATA SHEET

#### Geon<sup>TM</sup> SP142 (56B) Lamination Adhesive NP

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	Geon <sup>™</sup> SP142 (56B) Lamination Adhesive NP Mixture Mixture FO20042542 liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or	:	Not classified.

mixture

#### GHS label elements



# Geon<sup>™</sup> SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018

Page 2 of 15 Print Date 06/01/2018

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Como l		Net employed
General	. :	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20042542

CAS number/other identifiers

Ingredient name	%	CAS number
Naphtha, petroleum, hydrotreated heavy	1 - 3	64742-48-9
Polyethylene glycol monooleate	1 - 3	9004-96-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

# Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0	Page 3 of 15
Revision Date 05/31/2018	Print Date 06/01/2018

		upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0	Page 4 of 15
Revision Date 05/31/2018	Print Date 06/01/2018

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	nent a	nd cleaning up
Small spill Large spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water- insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in
		4/15



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 5 of 15 Print Date 06/01/2018

container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Polyethylene glycol monooleate	
Naphtha, petroleum, hydrotreated heavy	
Appropriate engineering controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be



# Geon™ SP142 (56B) Lamination Adhesive NP Version Number 1.0 Page 6 of 15 Revision Date 05/31/2018 Print Date 06/01/2018 checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.
Individual protection measures

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state Color	liquid [liquid] NO PIGMENT
Odor	: Not available.
Odor threshold	: Not available.
рН	: Not available.



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0		
<b>Revision Date</b>	05/31/2018	

## Page 7 of 15 Print Date 06/01/2018

Melting point	:	Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
-	•	
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 8 of 15 Print Date 06/01/2018

Product/ingredient name	Result	Species	Dose	Exposure	
Naphtha, petroleum, hydrotrea	Naphtha, petroleum, hydrotreated heavy				
	LD50 Oral	Rat	6,000 mg/kg	-	
	LC50 Inhalation	Rat	8.5 Mg/l	4 h	
Remarks - Dermal:	No applicable toxicity data				
Polyethylene glycol monooleate					
Remarks - Oral:	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data				

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Polyethylene glycol	Eyes - Mild	Rabbit		24 hrs	-
monooleate	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
<b>Conclusion/Summary</b>					
Skin	: M	lixture.Not ful	ly tested.		
Eyes	: M	lixture.Not ful	ly tested.		
Respiratory	: M	lixture.Not ful	ly tested.		
<u>Sensitization</u> Conclusion/Summary Skin	: M	lixture.Not ful	ly tested.		
Respiratory		lixture.Not ful	•		
<u>Mutagenicity</u>					
Conclusion/Summary	: M	lixture.Not ful	ly tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: M	lixture.Not ful	ly tested.		

xture.Not fully tested.

#### **Teratogenicity**



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 9 of 15 Print Date 06/01/2018

**Conclusion/Summary** : Mixture.Not fully tested.

## Specific target organ toxicity (single exposure)

Not available.

<u>Specific target organ toxicity (repeated exposure)</u> Not available.

#### Aspiration hazard

Product/ingredient name			Result		
Naphtha, petroleum, hydrotreated hea	avy		ASPIRATION HAZARD - Category 1		
Information on likely routes of exposure	:	Not available			
Potential acute health effects					
Eye contact	:	No known si	gnificant effects or critical hazards.		
Inhalation	:		gnificant effects or critical hazards.		
Skin contact	:		gnificant effects or critical hazards.		
Ingestion	:	No known si	gnificant effects or critical hazards.		
Symptoms related to the physical,	chemi	ical and toxico	ogical characteristics		
Eye contact	:	No specific d	ata.		
Inhalation	:	No specific d	ata.		
Skin contact	:	No specific data.			
Ingestion	:	No specific d	ata.		
Delayed and immediate effects as v	vell as	s chronic effect	s from short and long-term exposure		
Short term exposure					
Potential immediate effects Potential delayed effects	:	Not available Not available			
Long term exposure					
Potential immediate effects	:	Not available			
Potential delayed effects	:	Not available			
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not	fully tested.		
		0/	15		



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 10 of 15 Print Date 06/01/2018

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Inhalation (vapors)	577.7 mg/l

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Naphtha, petroleum, hydrotreated heavy			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Polyethylene glycol monooleat	te		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		

Persistence and degradability



## Geon<sup>™</sup> SP142 (56B) Lamination Adhesive NP

•

Version Number 1.0 Revision Date 05/31/2018 Page 11 of 15 Print Date 06/01/2018

Conclusion/Summary

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Naphtha (petroleum), hydrotreated	-	10.00 - 2,500.00	high
heavy			

#### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 12 of 15 Print Date 06/01/2018

International Water IMO/IMDG : Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: The following components are listed: 1,2-Cyclohexanedicarboxylic acid, 1-butyl 2-(phenylmethyl) ester
		United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Listed 1,2-Cyclohexanedicarboxylic acid, 1-butyl 2- (phenylmethyl) ester
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 10,10'-Oxybisphenoxarsine Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 13 of 15 Print Date 06/01/2018

#### Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

Name	%	Classification
Naphtha, petroleum, hydrotreated	1 - 3	F, AH
heavy		
Polyethylene glycol monooleate	1 - 3	AH

#### <u>SARA 313</u>

Not applicable.

# State regulations

Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	None of the components are listed.
Pennsylvania	:	None of the components are listed.
California Prop. 65		-
WARNING: This product conta	ins less that	1% of a chemical known to the State

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.

#### **International regulations**



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 14 of 15 Print Date 06/01/2018

#### **Inventory list**

Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	06/01/2018
Date of issue/Date of revision	:	05/31/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient



# Geon™ SP142 (56B) Lamination Adhesive NP

Version Number 1.0 Revision Date 05/31/2018 Page 15 of 15 Print Date 06/01/2018

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.