

WHEN MATERIAL EXPERTISE IS CRITICAL



antimicrobial technology

anti-stat provide desired surface

manipulation

Materials used for today's medical devices, parts and pharmaceutical packaging contribute significantly to performance and, in turn, to a patient's health and well-being. Consistency and reliability in those materials are imperative for components designed to heal or even save lives.

Count on Avient to deliver exceptional performance with polymer color and additive solutions for OEMs, processors and converters who are focused on essential healthcare applications. We provide total support from design through production, including navigation of a complex regulatory environment, delivering solutions that let you get your products to market faster and with greater confidence.

GLOBAL REGULATORY COMPLIANCE

Our regional tech centers around the world offer regulatory support and product stewardship expertise to help you qualify your products

BIO-COMPATIBILITY APPLICATIONS

Bio-compatible additives and colorants, tested under USP Class VI and ISO 10993, allow your materials to achieve required functional performance while meeting brand and color standards

STERILIZATION REQUIREMENTS

A standard color range and deliberate formulations provide stability under harsh sterilization methods



AUTHENTICATION TECHNOLOGY


Protect your brands with our Percept™ anti-counterfeit, security and tracking taggant technologies, or utilize radiopacifiers for placement protection

LASER MARKING SOLUTIONS

Optimized for color and contrast without diminishing physical property characteristics for branding, inventory management, data coding, or universal device identification

PRODUCT & PROCESS OPTIMIZATION

Maximize production throughput or eliminate waste with solutions including dimensional stabilization, cycle time reducers, chemical foaming agents, nucleation or hybrid technology



1.844.4AVIENT www.avient.com



Copyright © 2020, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.