#### SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Page 1 of 15 Print Date 12/07/2022

# SAFETY DATA SHEET

#### SILCOPAS BLACK 108054

Section 1. Identification	n	
GHS product identifier	:	SILCOPAS BLACK 108054
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20049585
Product type	:	liquid
Relevant identified uses of the substa	nce	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

### SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# AVIENT

Page 2 of 15 Print Date 12/07/2022

Hazard statements

No known significant effects or critical hazards.

**Precautionary statements** 

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20049585

CAS number/other identifiers

Ingredient name	%	CAS number
C.I. Pigment Black 27 An inorganic pigment that is the reaction	>= 75 - <= 90	Not available.
product of high temperature calcination in which iron (II) oxide,		
cobalt (II) oxide, chromium (III), and iron (III) oxide in varying		
amounts are homogeneously and ionically interdiffused to form a		
crystalline matrix of spinel. Its composition may include any one		
or a combination of the modifiers Al2O3, B2O3, CuO, MnO,		
NiO, or SiO2. This substance is identified in the COLOUR		
INDEX by Colour Index Constitution Number, C.I. 77502.		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

## Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Pa	age 3 of 15
Print Date	12/07/2022

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ .
Unsuitable extinguishing media	:	None known.

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# **ÀVIENT**

Page 4 of 15 Print Date 12/07/2022

Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. No specific data.
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt aı	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# **ÀVIENT**

#### Page 5 of 15 Print Date 12/07/2022

## **Section 7. Handling and storage**

#### **Precautions for safe handling**

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502.	ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (as CO)

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

## SILCOPAS BLACK 108054

Versio Revis



sion Number 1.0	Page 6 of 15
sion Date 12/06/2022	Print Date 12/07/2022

Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a right accomment indicate this in processory to supid expression
		when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [Paste.]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
pН	:	Not available.

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# **ÀVIENT**

Page 7 of 15 Print Date 12/07/2022

Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.		
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.		
Incompatible materials	:	Keep away from strong acids. Oxidizer.		
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition		
7/45				

### SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# AVIENT

Page 8 of 15 Print Date 12/07/2022

products

products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

d.
ed.
ed.
ed.
ed. ed.
ed.
ed.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
C.I. Pigment Black 27 An	-	2B	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which iron			
(II) oxide, cobalt (II)			
oxide, chromium (III), and			
iron (III) oxide in varying			
amounts are			
homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Page 9 of 15 Print Date 12/07/2022

spinel. Its composition		
may include any one or a		
combination of the		
modifiers Al2O3, B2O3,		
CuO, MnO, NiO, or SiO2.		
This substance is identified		
in the COLOUR INDEX		
by Colour Index		
Constitution Number, C.I.		
77502.		
//302.		
<b>Reproductive toxicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	exp	osure)
Specific target organ toxicity (repear Not available.	<u>ted e</u>	exposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact	-	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, cl	hemi	cal and toxicological characteristics
Evo contact		No specifie deta

Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

#### SAFETY DATA SHEET

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# **ÀVIENT**

Page 10 of 15 Print Date 12/07/2022

Potential immediate effects Potential delayed effects	<ul><li>Not available.</li><li>Not available.</li></ul>	
Long term exposure		
Potential immediate effects Potential delayed effects	<ul><li>Not available.</li><li>Not available.</li></ul>	
Potential chronic health effects		
Conclusion/Summary	: Mixture.Not fully tested.	
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	<ul> <li>No known significant effects or critical</li> </ul>	l hazards. l hazards. l hazards. l hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	: This mixture has not been evaluated as Exposure effects listed are based on ex individual components which comprise	isting health data for the

## Section 12. Ecological information

#### **Toxicity**

Conclusion/Summary: Not available.Persistence and degradability: Not available.Conclusion/Summary: Not available.

#### **Bioaccumulative potential**

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Pa	ge 11 of 15
Print Date	12/07/2022

Not available.

<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
		contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# **ÀVIENT**

Page 12 of 15 Print Date 12/07/2022

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Page 13 of 15 Print Date 12/07/2022

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
C.I. Pigment Black 27 An	>= 75 - <= 90	CARCINOGENICITY - Category 2
inorganic pigment that is the		
reaction product of high		
temperature calcination in		
which iron (II) oxide, cobalt		
(II) oxide, chromium (III),		
and iron (III) oxide in		
varying amounts are		
homogeneously and		
ionically interdiffused to		
form a crystalline matrix of		
spinel. Its composition may		
include any one or a		
combination of the		
modifiers Al2O3, B2O3,		
CuO, MnO, NiO, or SiO2.		
This substance is identified		
in the COLOUR INDEX by		
Colour Index Constitution		
Number, C.I. 77502.		

#### Form R - Reporting requirements

Product name	CAS number	%
C.I. Pigment Black 27 An inorganic pigment that is the	-	>= 75 - <= 90
reaction product of high temperature calcination in which		
iron (II) oxide, cobalt (II) oxide, chromium (III), and iron		
(III) oxide in varying amounts are homogeneously and		
ionically interdiffused to form a crystalline matrix of spinel.		
Its composition may include any one or a combination of the		
modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This		
substance is identified in the COLOUR INDEX by Colour		
Index Constitution Number, C.I. 77502.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022

# AVIENT

Page 14 of 15 Print Date 12/07/2022

Not applicable.

State regulations Massachusetts New York New Jersey Pennsylvania	:::::::::::::::::::::::::::::::::::::::	None of the components are listed. None of the components are listed. The following components are listed: C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. The following components are listed: C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502.
<u>California Prop. 65</u> This product does not require a Safe Ha	arbo	r warning under California Prop. 65
United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan Turkey United States		All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. All components are active or exempted.

#### SILCOPAS BLACK 108054

Version Number 1.0 Revision Date 12/06/2022



Page 15 of 15 Print Date 12/07/2022

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>1115t01 y</u>		
Date of printing	:	12/07/2022
Date of issue/Date of revision	:	12/06/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.